

# Atlas Mini 3

Mains operated outdoor LED floodlight  
Part code: **17757**

PHOEBE  
LED



## Technical Specifications

### General

Part Code:	17757
Product Name:	Atlas Mini 3 50W Floodlight with PIR sensor 4000K
Voltage:	220-240V
Wattage:	50W
Luminous Flux:	5000lm
Beam Angle:	100°
Lifespan:	25,000hrs
Dimmable:	Non-Dim
Energy Saving	Yes

### Electrometry




Rated Wattage (0.1W Precision):	50W
Voltage:	220-240V AC
Operating Frequency:	50/60Hz
Power Factor $\lambda$ :	0.9
Operating Current:	217mA
Weighted Energy Consumption:	50W

### Photometry

Rated Beam Angle:	100°
Rated Total Luminous Flux:	5000lm
Colour Temperature:	4000k
Colour Name:	Cool White
Colour Rendering Index:	$\geq 80$
Efficiency:	100lm/W



 **Crompton Lamps Limited**  
Unit 2, Marttree Business Park  
Bowling Back Lane  
Bradford BD4 8QE

 01274 657 088  
 01274 657 087  
 [info@cromptonlamps.com](mailto:info@cromptonlamps.com)

**Crompton**  
Lamps

# Atlas Mini 3

Mains operated outdoor LED floodlight  
Part code: **17757**

PHOEBE  
LED




## Technical Specifications

### Mechanical

Housing Material:	Tempered Glass/Die-Cast Aluminium/Polycarbonate
Ingress Protection Code:	IP65
Impact Protection Rating:	IK06
Appliance Class:	I
Mercury (Hg) Content:	0mg
Ambient Operating Temperature:	-20°C to 45°C

### Dimensions

Width (W):	125mm
Height (H):	51.2mm
Length (L):	178mm
Product Weight:	0.45kg



### Packaging

EAN13 Barcode:	5055579317757
Single Carton Length:	21.5cm
Single Carton Width:	5cm
Single Carton Height:	18.3cm
Single Carton Volume:	1967.25cm
Single Carton Weight:	0.51kg
Outer Carton GS1-128 Barcode:	0205055579317757375
Outer Carton Length:	27cm
Outer Carton Width:	23.5cm
Outer Carton Height:	39cm
Outer Carton Volume:	24745.5cm



**Crompton Lamps Limited**  
Unit 2, Marrtree Business Park  
Bowling Back Lane  
Bradford BD4 8QE

01274 657 088  
01274 657 087  
info@cromptonlamps.com

**Crompton**  
Lamps

# Atlas Mini 3

Mains operated outdoor LED floodlight  
Part code: **17757**

PHOEBE  
LED



## Technical Specifications

### Life Span

Rated Life:	25,000hrs
Warranty:	3 years

### Other Variants Available

17603	Atlas Mini 3 10W Floodlight 3000K
17610	Atlas Mini 3 10W Floodlight with PIR Sensor 3000K
17627	Atlas Mini 3 20W Floodlight 3000K
17634	Atlas Mini 3 20W Floodlight with PIR Sensor 3000K
17641	Atlas Mini 3 30W Floodlight 3000K
17658	Atlas Mini 3 30W Floodlight with PIR Sensor 3000K
17665	Atlas Mini 3 50W Floodlight 3000K
17672	Atlas Mini 3 50W Floodlight with PIR Sensor 3000K
17689	Atlas Mini 3 10W Floodlight 4000K
17696	Atlas Mini 3 10W Floodlight with PIR Sensor 4000K
17702	Atlas Mini 3 20W Floodlight 4000K
17719	Atlas Mini 3 20W Floodlight with PIR Sensor 4000K
17726	Atlas Mini 3 30W Floodlight 4000K
17733	Atlas Mini 3 30W Floodlight with PIR Sensor 4000K
17740	Atlas Mini 3 50W Floodlight 4000K
17757	Atlas Mini 3 50W Floodlight with PIR Sensor 4000K

### Standards and Approvals

Manufactured in Accordance to:	BS EN 60598-2-1:2021
CE Mark:	Yes
UKCA Mark:	Yes
Date of Manufacturer Coded:	Yes
Country of Manufacture:	China
WEEE Recycling Verification:	Yes
Certificate of Conformity:	Available on Request
Accredited Members:	LIA



**Crompton Lamps Limited**  
Unit 2, Marrtree Business Park  
Bowling Back Lane  
Bradford BD4 8QE

01274 657 088  
01274 657 087  
info@cromptonlamps.com

**Crompton**  
Lamps